

POTENTIAL NATURAL VEGETATION FOR SOUTH-WESTERN AND CENTRAL KENYA

A tool for the selection of indigenous tree species

Guidelines for identifying indigenous tree species

R Kindt ¹, J-P B Lillesø ^{1,2} and P van Breugel ³

¹World Agroforestry Centre, PO Box 30677-00100, Nairobi, Kenya

²Forest and Landscape Denmark (FLD, University of Copenhagen), Hørsholm Kongevej 11, DK-2970 Hørsholm, Denmark

³International Livestock Research Institute, PO Box 30709-00100, Nairobi, Kenya

Purpose of these guidelines

This is a short document that shows how to select tree species that are expected to be ecologically suitable for a particular vegetation type. These vegetation types occur within an area in central and south-western Kenya that we mapped, although the distribution of some vegetation types expands the borders of the vegetation map that is included on this CD-ROM. This document also shows how to select a subset of suitable species on the basis of products or services ('tree uses') that you want to obtain from the trees.

Step 1

Determine the potential natural vegetation types (hereinafter 'vegetation types') of the areas that you are interested in. Guidelines for identifying vegetation types from the electronic versions of the map of central and south-western Kenya are provided in accompanying guidelines ([GuideMapSheets.pdf](#), available from the [MapSheets](#) folder on the CD-ROM).

These vegetation types should be any of the 17 vegetation types listed in Table 1. Indigenous tree species are only listed for 12 of these vegetation types. The vegetation types for which species are available are indicated in the second column of table 1 ('Yes').

Table 1 Potential natural vegetation types

Potential natural vegetation type	Species?
Alpine	No
Mountain scrubland and moorland	No
Bamboo woodland and thicket	Yes
Moist montane forest	Yes
Dry montane forest	Yes
Moist intermediate forest	Yes
Dry intermediate forest	Yes
Upland <i>Acacia</i> woodland, savanna and bushland	Yes
Broad-leaved savanna-evergreen bushland mixtures	No
Lowland <i>Acacia-Commiphora</i> woodland, bushland and thicket	Yes
Moist <i>Combretum-Terminalia</i> savanna	Yes
Dry <i>Combretum</i> savanna	Yes
Evergreen and semi-evergreen bushland	Yes
Semi-evergreen thicket	Yes
<i>Papyrus</i> and swamp	No
Open grassland areas on clay plains	No
<i>Acacia</i> and allied vegetation on soils with impeded drainage	Yes

Step 2

If some of the vegetation types of the area that you are interested in have species lists (see above and especially table 1), then determine the uses of the indigenous tree species that you are interested in. These uses should be any of the uses listed in table 2.

Table 2 Documented uses

Main category	Uses
Wood	Firewood
	Charcoal
	Timber, furniture, construction
	Poles, posts
	Flooring
	Veneer, plywood
	Boat building
	Beehives
	Tools, tool handles, shafts
	Carvings, utensils, walking stick, bow, arrow
	Farm implements
Food	Edible fruit, nuts, seed
	Vegetable, edible leaves, edible roots
	Seasoning, flavouring
	Drink, Soap
	Edible oil, gum, inner bark
	Jam, Syrup
	Medicine
Fodder	Fodder
	Bee forage
Environmental	Shade
	Ornamental, avenue tree
	Mulch
	Nitrogen fixation
	Soil conservation, soil improvement
	River bank, sand stabilization
Other	Windbreak
	Fibre, weaving, rope
	Thatch, roofing, mats, baskets
	Resin, gum, glue, latex
	Tannin, dye
	Live fence, dead fence
	Ceremonial
	Toothbrushes
	Boundary marking
	Veterinary medicine
	Toxin, insecticide, repellent
	Cosmetic, soap, perfume, oil
	Brooms

Step 3

We crosstabulated suitable tree species for each vegetation type with potential uses of these species (those uses that were listed in table 2). The information on the crosstabulation of species with uses is available in two different formats: PDF (as a table) and MS Excel (as a spreadsheet).

The PDF tables were prepared for each vegetation type with documented tree species. These tables are available from the **Species/VegetationLists/PDF** folder on the CD-ROM. The advantage of the PDF format is that the tables can be read and printed via the freely available Adobe Reader.

The **SpeciesSelector.xls** spreadsheet is available from the **Species** folder on the CD-ROM. This spreadsheet was prepared in MS Excel. In case that you do not have MS Excel, then you could install the freely available OpenOffice (URL <http://www.openoffice.org>). The advantage of the Excel spreadsheet is that it allows for interactive selection of subsets of suitable tree species on the basis of the different uses that are required from these species. The Excel spreadsheet also has links to fact sheets for particular tree species (see step 5). ***Check in the appendix for some further guidelines on using the interactive selection ('AutoFilter') methods provided in the spreadsheet.***

Step 4

What is important to know is that we did not always have the same confidence about the ecological suitability of a particular tree species within a particular vegetation type. We summarized our confidence in ecological suitability of a tree species by providing a rank for each documented species for each vegetation type. This means that we are more confident about a species with rank 1 than a species with rank 2, that we are more confident of a species with rank 2 than a species with rank 3 and so on. It is therefore important to check for the rank order of the species that you selected. These rank order are also provided in the tables and spreadsheets discussed in step 3.

Step 5

Once you have selected a subset of tree species (as shown in steps 3 and 4), you can read some additional information on these species from fact sheets that provide information that is specific for particular indigenous tree species. These fact sheets are available in PDF format and were obtained from different sources (see below). Consult these fact sheets to check whether the selected species will suite your purposes and revise the selected subset of species if necessary.

Information for 122 species was obtained from the Agroforestry Database. These documents can be found in the **Species/AgroForesTree** folder on the CD-ROM.

Information for 207 species was obtained from a book on Useful Trees and Shrubs for Kenya. These documents can be found in the **Species/UsefulTrees** folder on the CD-ROM. Note that for some species, information is provided in the *Remarks* section of a fact sheet devoted to another species.

Information for 21 species was obtained from the Seed Leaflets series published by the Danish Centre for Forest and Landscape (**Species/SeedLeaflets** folder on the CDROM). These two-page information sheets focus more on seed information.

A separate document [SpeciesFactSheets.pdf](#) shows for which species and from which information sources fact sheets are available. This document also shows differences in species names used in different sources. The spreadsheet (step 3 and as shown in the appendix) provides direct links to fact sheets for specific species.

Please cite these references when you publish information from any of these sources:

Maundu P and Tengnas B. 2005. **Useful Trees and Shrubs for Kenya**. Nairobi: World Agroforestry Centre. 484 pp.

Simons AJ, Salim AS, Orwa C, Munjuga M and Mutua A. 2005. **AgroForesTree Database: a Tree Species Reference and Selection Guide**. Version 3.0 CD-ROM. ICRAF: World Agroforestry Centre.

The *Seed Leaflets* have a specific citation for each species as this series was originally published in separate leaflets.

Step 6

Try to verify the species that you selected with other sources of information, including asking some local experts (such as foresters or ecologists, but also experienced farmers).

Step 7

Familiarize yourself with the methods that were used to compile species lists for vegetation types. The methodology is explained in the documentation ([VegMapSummary.pdf](#) and [Vegetation II DE7.pdf](#), both available from the **Documentation** folder on the CD-ROM). Pay particular attention to some remarks on potential limitations of the approach.

Appendix: Example of using the interactive selection features of the spreadsheet

In this example, we will select indigenous tree species that are documented to be used for edible fruit and bee forage (apiculture or honey production) and that are to be planted in an area that is within the vegetation type of moist intermediate forest.

Step 1

After opening the [SpeciesSelector.xls](#) spreadsheet, make sure that the *AutoFilter* option is switched on as shown here:

The screenshot shows the Microsoft Excel interface with the 'Data' menu open. The 'AutoFilter' option is checked, and a dropdown arrow is visible in the 'Species' column header. The spreadsheet contains the following data:

Species	Common name	Dry montane forest	Moist intermediate forest	Dry intermediate forest	Upland Acacia woodland, savanna and bushland	Low Acacia woodland, bushland and thicket	Dry Combretum savanna	Moist Combretum-Terminalia savanna	Evergreen and semi-evergreen bushland	Semi-evergreen thickets	Acacia and allied vegetation on soils with impeded drainage	Information on uses
Abutilon longicuspe		2										
Acacia abyssinica	Flat-top acacia	2	2									x
Acacia albida	Apple-ring acacia			5								x
Acacia brevispica	Wait-a-bit thorn			1	1			1	1			x
Acacia bussei					3							
Acacia drepanolobium	Ant-gall acacia, Whistling thorn	1		1				1		3		x
Acacia elatior	River acacia				4					4		x

Next select species that occur in the potential natural vegetation type of moist intermediate forest. You can do this by clicking first on the arrow button corresponding to this vegetation type (the arrow button and red circle indicate where to click, the graph at the bottom of this page shows what happened after clicking):

The screenshot shows a Microsoft Excel spreadsheet titled "Microsoft Excel - SpeciesSelector.xls". The spreadsheet is organized into columns for species data. The first column is labeled "Species" and the second is "Botanical name". The third column is "Vegetation types". The fourth column is "Information on uses". The fifth column is "wood". The sixth column is "food". The seventh column is "fodder". The eighth column is "shade". The ninth column is "ornamental". The tenth column is "Avenue tree".

Species	Botanical name	Vegetation types	Information on uses	wood	food	fodder	shade	ornamental	Avenue tree
Abutilon longicuspe	Sort Ascending								
Acacia abyssinica	Sort Descending								
Acacia alba	(All)	5							
Acacia brevispica	(Top 10...)	1	1	1					
Acacia bussei	(Custom...)	3							
Acacia drepanolobium	1	1	1	3					
Acacia elatior	2	4	4	x	x	x			
Acacia etbaica	3	1	3	x	x	x			
Acacia gerrardii	4	1	3	1	x	x	x	x	
Acacia hockii	5	1	3	1	x	x	x	x	
Acacia kirkii	(Blanks)	3	3	3	x	x	x	x	
Acacia lahai	(NonBlanks)	2	4	4	x	x	x	x	
Acacia mellifera		1	3	1	x	x	x	x	
Acacia nilotica ssp nilotica		3	3		x	x	x	x	
Acacia polyacantha ssp. campylacantha		1	3	1	x	x	x	x	
Acacia reficiens		1							
Acacia senegal		3	3	4	3	4	x	x	x

[illegible]

Microsoft Excel - SpeciesSelector.xls

File Edit View Insert Format Tools Data Window GenAIE Help

Type a question for help

A3Abutilon longicuspe

	A	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	
1	Species	Vegetation types												wood												food				fodder		env						
	Botanical name	Bamboo woodland and thicket	Moist montane forest	Dry montane forest	Moist intermediate forest	Dry intermediate forest	Upland Acacia woodland, savanna and bushland	Low Acacia woodland, bushland and thicket	Dry Combretum savanna	Moist Combretum-Terminalia savanna	Evergreen and semi-evergreen bushland	Semi-evergreen thickets	Acacia and allied vegetation on soils with impeded drainage	Information on uses	Firewood	Charcoal	Construction	Poles/posts	Flooring	Veneer/plywood	Boat building	Beehives	Tools/Tool handles/Shafts	Walking stick/Bow/arrow	Farm implements	Eatable fruits/used	Vegetable/edible leaves/edible roots	Seasoning/Flavouring	Drink/Soap	Edible oil/gum/inner bark	Jam/Syrup	Medicine	Fodder	Bee forage	Shade	Ornamental/Avenue tree		
2																																						
14	Acacia lahai				4				4					x	x	x	x																	x	x			
31	Afrosorsalis cerasifera																																					
37	Albizia gummifera		2	2	2	2								x	x	x					x	x												x	x	x		
40	Albizia zygia		3		2									x	x	x	x									x								x	x	x		
43	Allophylus ferrugineus				2																																	
46	Aningeria altissima				2				3																													
48	Anthocleista grandiflora		2		2																																	
49	Anthocleista vogeli				2																																	
50	Antiaris toxicaria				2				3					x			x																	x	x			
51	Apodytes dimidiata		2	2	3	3								x	x	x	x					x											x	x	x	x		
58	Bequaertiodendron princeolatum				3																																	
60	Bersama abyssinica		2	2	2									x	x	x	x					x												x	x	x	x	
61	Blighia unguis-cati				2									x	x	x	x																	x	x	x		
68	Bridelia micrantha		4	4	2	2			4					x	x	x	x						x			x								x	x	x	x	
80	Cordia alliodora				2	4			4	4				x	x	x							x			x								x	x	x	x	
82	Cassia siamea		2	2	2									x			x																					
85	Cassia siamea		2	2	2									x	x		x																	x		x		

Sheet1

105 of 357 records found

After having selected the subset of species, you should see that the colour selection button for the moist intermediate forest has changed to blue (see blue circle added on the graph above), that the colour of the selected row numbers (14, 31, 37, 40, ...) also changed to blue and a message will have appeared at the bottom of the spreadsheet of “105 of 357 records found” (see blue arrow at the bottom of the graph).

This first step of selecting species for a particular vegetation type has already been done for the Excel documents available in the [Species/VegetationLists/SpeciesSelectors](#) folder on the CD-ROM. These are the spreadsheets that are linked from the interactive htm version of the map ([GuideMapSheets.pdf](#), available from the [MapSheets](#) folder on the CD-ROM).

Next select species that are documented to be used for edible fruit by clicking on the arrow button in the column for ‘edible fruit/nuts/seed’ (main category of food). You can select the option of ‘×’ or select the ‘NonBlanks’ for this category of food (the arrow buttons and red circles indicate where to click, the graph at the bottom of this page shows what happened after clicking):

Microsoft Excel - SpeciesSelector.xls

File Edit View Insert Format Tools Data Window GenAEx Help

Type a question for help

A3 Abutilon longispue

	A	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY
1	Species	wood										food					fodder			environmental					other												
	Botanical name	Firewood	Charcoal	Timber/turniture/Construction	Poles/posts	Flooring	Vener/plbwood	Boat building	Beehives	Tools/Tool handles/Shatts	Farm implements	Edible fruits/nuts/seed	Vegetable/edible leaves/edible roots	Seasoning/flavouring	Drink/Soap	Jam/Syrup	Medicine	Fodder	Bee forage	Shade	Ornamental/Avenue tree	Mulch	Nitrogen fixation	Soil conservation/soil improvement	River bank/sand stabilization	Windbreak	Fibre/weaving/rope	Thatch/roofing/Mats/Baskets	Resin/Gum/Glue/Latex	Tannin/Dye	Live fence/Dead fence	Ceremonial	Toothbrushes	Boundary marking	Veterinary medicine		
2																																					
68	Bridelia micrantha	x	x	x	x					x	x	x						x	x	x	x					x											
80	Cordia africana	x		x					x	x								x	x	x	x	x			x			x							x		
95	Chrysophyllum albidum			x								x																									
112	Ficus sur	x	x						x	x	x							x	x	x	x														x		
169	Harungana madagascariensis		x	x	x	x				x	x	x						x	x	x																	
171	Ficus thonningii	x										x						x	x		x	x					x	x	x	x	x	x					
172	Lecaniodiscus traxinifolius	x	x		x					x	x	x						x		x	x																
175	Garcinia buchananii											x																									
192	Carissa edulis											x	x					x	x	x		x												x	x		
203	Flacourtia indica	x	x	x	x					x	x	x						x	x	x		x															
220	Manilkara butugi											x						x	x	x																	
235	Mimusops kummia	x	x	x					x	x	x				x			x																			
237	Monodora myrsinoides	x										x						x																			
239	Myrsine africana	x																																			
287	Rhus	x	x	x								x						x	x	x	x			x											x		
313	Syz	x	x	x					x			x			x			x	x	x	x					x											
314	Syz	x	x	x	x					x		x						x																			

Sheet1

21 of 357 records found

After having selected the subset of species, you should see that the colour selection button for the edible fruits/nuts/seeds has changed to blue (see blue circle added on the graph above) and a message will have appeared at the bottom of the spreadsheet of “21 of 357 records found” (see blue arrow).

Step 4

Use a similar procedure (clicking on the arrow and selecting the '×' or the 'NonBlanks') to select species that can be used for bee forage (the arrow button and red circle indicate where to click, the graph at the bottom of this page shows what happened after clicking):

Microsoft Excel - SpeciesSelector.xls

File Edit View Insert Format Tools Data Window GenAEx Help

Type a question for help

A3 Abutilon longicuspe

	A	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ	BA	BB	BC
1	Species																													
		food				fodder				environmental										other									Useful Trees and Shrubs	
	Botanical name	Eddible fruits/seed	Vegetable/edible leaves/edible roots	Seasoning/Flavouring	Drink/Soap	Eddible oil/gum/inner bark	Jam/Syrup	Medicine	Fodder	Bee forage	Shade	Ornamental/avenue tree	Mulch	Nitrogen fixation	Soil conservation/soil improvement	River bank/sand stabilization	Windbreak	Fibre/weaving/rope	Thatching/roofing/Mats/Baskets	Resin/Gum/Guel/Latex	Tannin/Dye	Live fence/Dead fence	Ceremonial	Toothbrushes	Boundary marking	Veterinary medicine	Toxin/Insecticide/Repellent	Cosmetic/Soap/Perfume/Oil	Brooms	follow link
2																														
68	Bridelia micrantha	x																												UsefulTrees/Bridelia micrantha.pdf
80	Cordia africana	x																												UsefulTrees/Cordia africana.pdf
95	Chrysophyllum albidum	x																												
112	Ficus sur	x																												UsefulTrees/Ficus sur.pdf
169	Harungana madagascariensis	x																												UsefulTrees/Harungana madagascariensis.pdf
171	Ficus thonningii	x																												UsefulTrees/Ficus thonningii.pdf
172	Lecaniodiscus fraxinifolius	x																												UsefulTrees/Lecaniodiscus fraxinifolius.pdf
175	Garcinia buchananii	x																												UsefulTrees/Garcinia buchananii.pdf
192	Carissa edulis	x	x	x																										UsefulTrees/Carissa spinarum.pdf
209	Flacourtia indica	x																												UsefulTrees/Flacourtia indica.pdf
220	Manilkara butugi	x																												UsefulTrees/Manilkara sulcata.pdf
235	Mimusops kummel	x																												UsefulTrees/Mimusops kummel.pdf
237	Monodora myrsinica	x																												UsefulTrees/Monodora grandifolia.pdf
239	Myrianthus holstii	x																												UsefulTrees/Myrianthus holstii.pdf
287	Rhus natalensis	x																												UsefulTrees/Rhus natalensis.pdf
313	Syzygium cordatum	x																												UsefulTrees/Syzygium cordatum.pdf
314	Syzygium guineense	x																												UsefulTrees/Syzygium guineense.pdf

Filter Mode

Microsoft Excel - SpeciesSelector.xls

File Edit View Insert Format Tools Data Window GenAEx Help

Type a question for help

A3 Abutilon longicuspe

A		AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL	AM	AN	AO	AP	AQ	AR	AS	AT	AU	AV	AW	AX	AY	AZ	BA	BB	BC	
1	Species	food	fodder		environmental		other		Useful Trees and Shrubs																						
	Botanical name	Eddible fruits/seed	Vegetable/edible leaves/edible roots	Seasoning/Flavouring	Drink/Soap	Eddible oil/gum/inner bark	Jam/Syrup	Medicine	Fodder	Bee forage	Shade	Ornamental/avenue tree	Mulch	Nitrogen fixation	Soil conservation/soil improvement	River bank/sand stabilization	Windbreak	Fibre/weaving/rope	Thatch/roofing/Mats/Baskets	Resin/Gum/Guel/Latex	Tannin/Dye	Live fence/Dead fence	Ceremonial	Toothbrushes	Boundary marking	Veterinary medicine	Toxin/Insecticide/Repellent	Cosmetic/Soap/Perfume/Oil	Brooms	follow link	
2																															
68	Bridelia micrantha	x						x	x	x	x	x								x										UsefulTrees/Bridelia micrantha.pdf	
80	Cordia africana	x						x	x	x	x	x				x				x										UsefulTrees/Cordia africana.pdf	
112	Ficus sur	x						x	x	x	x									x										UsefulTrees/Ficus sur.pdf	
169	Harungana madagascariensis	x						x	x	x												x								UsefulTrees/Harungana madagascariensis.pdf	
172	Lecaniodiscus fraxinifolius	x						x	x	x	x									x										UsefulTrees/Lecaniodiscus fraxinifolius.pdf	
192	Carissa edulis	x	x	x				x	x	x		x											x	x			x			UsefulTrees/Carissa edulis.pdf	
209	Flacourtia indica	x					x	x	x	x													x							UsefulTrees/Flacourtia indica.pdf	
313	Syzygium cordatum	x			x			x	x	x	x	x				x						x						x		UsefulTrees/Syzygium cordatum.pdf	
314	Syzygium guineense	x						x	x	x												x								UsefulTrees/Syzygium guineense.pdf	
347	Vitex doniana	x						x	x	x	x		x													x				UsefulTrees/Vitex doniana.pdf	
358	Ziziphus abyssinica	x						x	x	x	x											x		x	x	x				UsefulTrees/Ziziphus abyssinica.pdf	

11 of 357 records found

After having selected the subset of species, you should see that the colour selection button for the bee forage has changed to blue (see blue circle added on the graph above) and a message will have appeared at the bottom of the spreadsheet of “11 of 357 records found” (see blue arrow).

Step 5

Check for the rank of the selected species for the moist intermediate forest. As explained earlier, we have higher confidence in the suitability of species with smaller ranks:

Microsoft Excel - SpeciesSelector.xls

File Edit View Insert Format Tools Data Window GenAIEX Help

Type a question for help

A3 Abutilon longicuspis

	A	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	AA	AB	AC	AD	AE	AF	AG	AH	AI	AJ	AK	AL
1	Species	Vegetation types												wood												food				fodder		env					
	Botanical name	Bamboo woodland and thicket	Moist montane forest	Dry montane forest	Moist intermediate forest	Dry intermediate forest	Upland Acacia woodland, savanna and bushland	Low Acacia woodland, bushland and thicket	Dry Combretum-Terminalia savanna	Moist Combretum-Terminalia savanna	Evergreen and semi-evergreen bushland	Semi-evergreen thickets	Acacia and allied vegetation on soils with impeded drainage	Information on uses	Firewood	Charcoal	Timber/furniture/Construction	Poles/posts	Flooring	Veneer/plywood	Boat building	Beehives	Tools/rool handles/Shells	Carvings/Utensils/Making stick/Bow/arrow	Eatable fruits/seed	Vegetable/edible leaves/edible roots	Seasoning/Flavouring	Drink/Soap	Edible oil/gum/inner bark	Jam/Syrup	Medicine	Fodder	Bee forage	Shade	Ornamental/Avenue tree		
2																																					
68	Bridelia micrantha		4	4	2	2				4				x	x	x	x	x					x	x	x		x					x	x	x	x		
80	Cordia africana				2	4			4	4				x	x	x	x	x				x		x	x		x					x	x	x	x		
112	Ficus sur		2	2	2	2								x	x	x	x	x					x	x	x		x					x	x	x	x		
169	Harungana madagascariensis		2	2										x	x	x	x	x					x	x	x		x					x	x	x	x		
172	Lecaniodiscus fraxinifolius			2										x	x	x	x	x					x	x	x		x						x	x	x	x	
192	Carissa edulis	4	4	4	4				4	4	3	3		x											x	x	x					x	x	x	x		
209	Flacourtia indica		4	4					4		4			x	x	x	x	x					x	x	x	x					x	x	x	x	x		
313	Syzygium cordatum		4	4	4									x	x	x	x	x				x			x			x				x	x	x	x	x	
314	Syzygium guineense		2	2	4					3		4		x	x	x	x	x	x				x		x							x	x	x	x		
347	Vitex doniana				4					3				x	x	x	x	x	x					x	x							x	x	x	x		
358	Ziziphus abyssinica				4				4	4				x	x	x	x	x						x		x						x	x	x	x		
360																																					
361																																					
362																																					
363																																					
364																																					
365																																					
366																																					

Sheet1

11 of 357 records found

From the graph above, you can see that you obtained the following 5 species of rank 2:


- *Bridelia micrantha*
- *Cordia africana*
- *Ficus sur*
- *Harungana madagascariensis*
- *Lecaniodiscus fraxinifolius*

... and the following 6 species of rank 4:

- *Carissa edulis*
- *Flacourtia indica*
- *Syzygium cordatum*
- *Syzygium guineense*
- *Vitex doniana*
- *Ziziphus abyssinica*

Step 6

Follow the links provided in columns at the right in Excel spreadsheet to obtain some additional information about these 11 species:



1	Species	Useful Trees and Shrubs	AgroForesTree Database	Seed Leaflets	Beentje
	Botanical name	follow link	follow link	follow link	Page
2					
68	Bridelia micrantha	UsefulTrees\Bridelia micrantha.pdf	AgroForesTree\Bridelia micrantha.pdf		187
80	Cordia africana	UsefulTrees\Cordia africana.pdf	AgroForesTree\Cordia africana.pdf		573
112	Ficus sur	UsefulTrees\Ficus sur.pdf			328
169	Harungana madagascariensis	UsefulTrees\Harungana madagascariensis.pdf	AgroForesTree\Harungana madagascariensis.pdf		147
172	Lecaniodiscus fraxinifolius	UsefulTrees\Lecaniodiscus fraxinifolius.pdf			420
192	Carissa edulis	UsefulTrees\Carissa edulis.pdf	AgroForesTree\Carissa edulis.pdf		478
203	Flacourtia indica	UsefulTrees\Flacourtia indica.pdf	AgroForesTree\Flacourtia indica.pdf		106
313	Syzygium cordatum	UsefulTrees\Syzygium cordatum.pdf	AgroForesTree\Syzygium cordatum.pdf		126
314	Syzygium guineense	UsefulTrees\Syzygium guineense.pdf	AgroForesTree\Syzygium guineense.pdf		127
347	Vitex doniana	UsefulTrees\Vitex doniana.pdf	AgroForesTree\Vitex doniana.pdf		622
358	Ziziphus abyssinica	UsefulTrees\Ziziphus abyssinica.pdf	AgroForesTree\Ziziphus abyssinica.pdf		359
360					
361					
362					
363					
364					
365					

The final column of the spreadsheet shows the page number of the book by Henk Beentje on Kenyan Trees, Shrubs and Lianas.